

**FEDERAL STATE BUDGET EDUCATIONAL INSTITUTION OF HIGHER
EDUCATION
"ROSTOV STATE MEDICAL UNIVERSITY" OF THE MINISTRY OF HEALTH
OF THE RUSSIAN FEDERATION**

FACULTY OF TREATMENT AND PREVENTION

Evaluation materials
in the discipline "Latin Language"

(appendix to the work program of the discipline)

Specialty 05/31/01 MEDICINE

**1. List of competencies formed by the discipline (in whole or in part)
universal (UK)/general cultural (OK)**

Codenameuniversal/ general cultural competence	Indicator(s) of achieving universal general cultural competence
UK-4 Able to carry out business communication in oral and written forms in the state language of the Russian Federation and foreign language(s)	ID 3 UK-4 Able to communicate in a foreign language in academic process professional interactions, use medical terminology in including in foreign language(s)

2. Types of assessment materials in accordance with the competencies being developed

Name competencies	Types of assessment materials	number of tasks for 1 competency
UK-4	Closed tasks	25 with sample answers
	Open type tasks: Questions for interviews Addition tasks	75 with sample answers

UK - 4:

Closed-type tasks: TOTAL 25 tasks.

Examples:

Task 1. Instructions: Choose one correct answer. The letter "s" is read as "ts" in terms of:

- a)
- caput;b)
- cito;
- c) Camphora.

Response standard: b. cito

Task 2. Instructions: Choose one correct answer. The combination "ti" is read as "qi" in terms of:

- a) tibia;
- b) Triticum;
- c) articulatio.

Response standard: V. articulation

Task 3. Instructions: Choose one correct answer. The verb “to crush”, “to crush” in Latin:

- a) valere;
- b) continere;
- c) contunder.

Response standard: V. contundere

Task 4. Instructions: Choose one correct answer. Verb of the 1st conjugation: a) linire;

- b) docere;
- c) colare.

Response standard: V. collare

Task 5. Instructions: Choose one correct answer. Infinitive of the verb "to issue": a) dare;
b) date;
c) valere.

Response standard: A. dare

Task 6. Instructions: Choose one correct answer. The names of enzyme preparations include the frequency segment:

- a) as;
- b) io; c)
- benz.

Response standard: A. as

Task 7. Instructions: Choose one correct answer.

Titles of local anesthetics include the frequency segment:

- a) alg;
- b) cain;
- c) dol;
- G) aesthes;
- e) sed.

Response standard: b. cain

Task 8. Instructions: Choose one correct answer. The antibiotics of the group of radiant fungi include the following medicine:

- a) Furacilinum;
- b) Vinylinum;
- c) Bicillinum;
- d) Synthomycinum.

Response standard: g. Synthomycinum

Task 9. Instructions: Choose one correct answer. To hormones

of the adrenal gland medicine includes:

- a) Parathyreoidinum;
- b) Corticotropinum;
- c) Methyloestradiolum;
- d) Androginum.

Response standard: b. Corticotropinum

Task 10. Instructions: Choose one correct answer. "Mercury" in Latin: a)

- Hydrogenium;
- b) Bismuthum;
- c) Hydrargyrum;

d) Nitrogenium.

Response standard: V. Hydrargyrum

Task 11. Instructions: Choose one correct answer. "Alcohol solution of salicylic acid" in Latin:

- a) Solutionis acidi salicylic spirituosae;
- b) Solutio acidi hydrochlorici duluta;
- c) Solutionis acidi hydrochlorici dilutae;
- d) Solutio acidi salicylic spirituosae.

Response standard: Solutio acidi salicylici spirituosae

Task 12. Instructions: Choose one correct answer. "Ointment of basic bismuth nitrate" in Latin:

- a) Unguenti Bismuthi subnitratis;
- b) Unguenta Bismuthi subnitratis;
- c) Unguentum Bismuthi subnitratis.

Response standard: V. Unguentum Bismuthi subnitratis

Task 13. Instructions: Choose one correct answer. Anticoagulants include the frequency range:

- a) vir;
- b) purg;
- c) thromb.

Response standard: V. thromb

Task 14. Instructions: Choose one correct answer. "Hydrochloric (hydrochloric) acid" in Latin:

- a) acidum hydroiodicum;
- b) acidum hydrochloricum;
- c) acidum hydrosulfuricum;
- d) acidum hydrocyanicum.

Response standard: b. acidum hydrochloricum

Task 15. Instructions: Choose one correct answer. "Dilute sulfuric acid" in Latin:

- a) pulvis Sulfuris depurati; b) acidum sulfuricum purum; c) acidum sulfurosum;
- d) acidum sulfuricum dilutum.

Response standard: g. acidum sulfuricum dilutum

Task 16. Instructions: Choose one correct answer. "Caffeine-sodium benzoate solution" in Latin:

- a) Solutionis Coffeini-natrii benzoatis;
- b) Solutio Coffeini-natrii benzoatis;
- c) Solutio Coffeini-natrii benzoas.

Response standard: b. Solutio Coffeini-natrii benzoatis

Task 17. Instructions: Choose one correct answer. Anesthetics are medicines:

- a) painkillers; b) painkillers;
- c) weakening sensitivity; d) local anesthetics.

Response standard: b. painkillers

Task 18. Instructions: Choose one correct answer. Remedia fungicida are medicines:

- a) anthelmintic; b) antiemetics; c) antifungal;
- d) antiputrefactive.

Response standard: V. antifungal

Task 19. Instructions: Choose one correct answer. Enzyme inhibitors include the frequency range:

- a) sept;
- b) stat;
- c) vir;
- d) cillin.

Response standard: b. stat

Task 20. Instructions: Choose one correct answer. The names of tetracycline antibiotics include the frequency segment:

- a) cyclin;
- b) cillin;
- c) mycin;
- d) ceph.

Response standard: A. cyclin

Task 21. Instructions: Choose one correct answer. Female sex hormone preparations include the following drugs:

- a) Synoestrolum;
- b) Thyreoidinum;
- c) Testosteronum;
- d) Hydrocortisonum.

Response standard: A. Synoestrolum

Task 22. Instructions: Choose one correct answer. Hemostatic drug:

- a) remedium thyreostaticum;
- b) remedium cytostaticum;

- c) remedium haemostaticum;
- d) remedium hypoglykaemicum.

Response standard: V. remedium haemostaticum

Task 23. Instructions: Choose one correct answer. The names of antibiotics of the penicillin group include the frequency segment:

- a) cyclin;
- b) cillin;
- c) mycin;
- d) ceph.

Response standard: b. cillin

Task 24. Instructions: Choose one correct answer. Analgesics are medicines:

- a) painkillers; b) painkillers;
- c) weakening sensitivity; d) local anesthetics.

Response standard: A. painkillers

Task 25. Instructions: Choose one correct answer. "Isotonic sodium chloride solution" in Latin:

- a) Solutionis Natrii chloridi isotonicae;
- b) Solutiones Natrii chloridi isotonicae;
- c) Solutio Natrii chloridi isotonica.

Response standard: V. Solutio Natrii chloridi isotonica

Open type tasks: TOTAL 75 tasks

Exercise 1.

Nouns belong to the 3rd declension_____childbirth

Response standard: everyone

Task 2.

"Citric acid" in Latin: acidum_____.

Response standard: citricum

Task 3.

"Isotonic sodium chloride solution" in Latin: Solutio_____isotonica.

Response standard: Sodium chloride

Task 4.

Nouns mainly belong to the 1st declension_____kind.

Response standard: female

Task 5.

"Give out" in Latin:_____.

Response standard: yes

Task 6.

Astringents include frequency segment_____.

Response standard: tann

Task 7.

Names of antimicrobial sulfonamide agents include

frequencyline segment_____.

Response standard: sulfa

Task 8.

The names of antibiotics of the penicillin group include a frequency segment_____.

Response standard: cillin

Task 9.

"Sulfurous acid" in Latin: acidum_____.

Response standard: acidum sulfurosum

Task 10.

"Citric acid film-coated tablets" in Latin: Tabulettae acidi_____ .
_____;

Response standard: citrici obductae

Task 11.

The doctor writes down information about the disease received from the patient. What is a "medical history" called in Latin?

Response standard: Anamnesis morbi.

Task 12.

The doctor describes the patient's appearance in the medical history. What Latin expression is appropriate in this situation?

Response standard: Habitus aegroti.

Task 13.

The doctor describes the patient's current condition. What Latin expression is appropriate in this situation?

Response standard: Status praesens aegroti.

Task 14.

The patient's condition remains unchanged. What Latin expression can be used in this situation?

Response standard: Status quo or status idem.

Task 15.

The doctor treats diseases of the ear, nose and throat. What clinical term refers to this medical specialty?

Response standard: otorhinolaryngologus

Task 16.

The doctor treats diseases of the gastrointestinal tract. What clinical term refers to this medical specialty?

Response standard: gastroenterologus

Task 17.

The doctor treats diseases of consciousness. What clinical term refers to this medical specialty?

Response standard: psychiatrist

Task 18.

Laboratory analysis showed that the patient had an increased level of leukocytes in the blood. Write a clinical term with this meaning.

Response standard: leucocytosis

Task 19.

Laboratory analysis showed that the patient had a low level of leukocytes in the blood. Write a clinical term with this meaning. Sample answer: leukocytopenia

Task 20.

Laboratory analysis showed that the patient had high blood sugar. Write a clinical term with this meaning.

Response standard: hyperglycaemia

Task 21.

Laboratory tests showed that the patient **increased contentplatelets in the blood**. What clinical term should be used in this case?

Response standard: thrombocytosis

Task 22.

In urinesugar was detected in the patient. What clinical term should be used in this case?

Response standard: glucosuria

Task 23.

The patient experiences copious urine output. Write a clinical term with this meaning.

Response standard:

polyuria Task 24.

The patient needs treatment with water procedures. Write a term with this meaning.

Response standard: hydrotherapy

Task 25.

The patient is suffering
clinical

kidney stone disease .Write
term denoting this disease.

Response standard: nephrolithiasis

Task 26.

The patient has an x-ray of the bladder. What medical term refers to this test?

Response standard: cystogram

Task 27.

The patient underwent plastic surgery of the cornea. Write a clinical term with this meaning.

Response standard: keratoplasty

Task 28.

The patient underwent surgery to remove the gallbladder. What clinical term refers to this operation?

Response standard: cholecystectomy

Task 29.

To treat the burn, the patient underwent skin grafting. What is the name of the operation of transplanting the body's own tissues?

Response standard: . autotransplantation

Task 30.

The clinic performed a complex operation to implant the right hand of a patient injured in an accident. Write the name of this operation in Latin.

Response standard: replantatio manus dextrae

Task 31.

The patient has a persistent dilation of the lumen of the blood vessel. What clinical term should be used in this case?

Response standard: angiectasia

Task 32.

The child has congenital hydrocele of the brain. Write a clinical term with this meaning.

Response standard:

hydrocephalia Task 33.

The patient feels pain in the joints. What clinical term is used for this condition?

Response standard: arthralgia

Task 34.

The patient has impaired thyroid function. What clinical term is used in this case?

Response standard: dysthyreosis

Task 35.

The patient was diagnosed with myopia. What clinical term is used in this case?

Response standard: myopia

Task 36.

The patient was diagnosed with farsightedness. What clinical term is used in this case?

Response standard: hypermetropia

Task 37.

The patient suffers from functional kidney disease. What clinical term is used in this case?

Response standard: nephrosis

Task 38.

Sick suffers **reversible mental disorder activities.**

Which clinical term applied in this case?

Response standard: neurosis

Task 39.

The patient suffers from the presence of a large number of glandular tumors. What clinical term is used in this case?

Response standard: adenomatosis

Task 40.

The patient was diagnosed with alcohol dependence syndrome. What clinical term is used in this case?

Response standard: alcoholism

Task 41.

A patient has been diagnosed with a cancerous tumor of the gland. What clinical term is used in this case?

Response standard:

adenocarcinoma Task 42.

The patient was diagnosed with intrauterine inflammation. What clinical term applies in this case?

Response standard: endometritis

Task 43.

The child was diagnosed with bronchial inflammation. What clinical term is used in this case?

Response standard: bronchitis

Task 44.

The patient is unconscious for a long time as a result of the injury. What clinical term is used in this case?

Response standard: coma

Task 45.

The patient suffers from a pathological fear of loneliness. What clinical term is used in this case?

Response standard: monophobia

Task 46.

The patient is pathologically afraid of heights. What clinical term is used in this case?

Response standard: acrophobia

Task 47.

The patient suffers from dementia. What clinical term is used in this case?

Response standard: oligophrenia

Task 48.

The patient suffers from inflammation of all veins. What clinical term is used in this case?

Response standard: panphlebitis

Task 49.

The patient suffers from breathing problems. What clinical term is used in this case?

Response standard: dyspnoë

Task 50.

The patient is suffering **increased heart rate**. Which clinical term applies in this case?

Response standard: tachycardia

Task 51.

The patient is suffering **indigestion.** Which clinical term applies in this case?

Response standard: dyspepsia

Task 52.

The patient is suffering

Which clinical

slowing down the heart rate.

term applies in this case?

Response standard: bradycardia

Task 53.

The patient suffers from dry skin. What clinical term is used in this case?

Response standard: xerodermia

Task 54.

The patient suffers from lack of appetite. What clinical term is used in this case?

Response standard: anorexia

Task 55.

The patient underwent reconstructive surgery on the larynx. What clinical term is used in this case?

Response standard: laryngoplastic

Task 55.

The patient underwent reconstructive surgery on the larynx. What clinical term is used in this case?

Response standard: laryngoplastic

Task 56.

The patient suffers from a tendency to seizures. What clinical term is used in this case?

Response standard: spasmophilia

Task 57.

The patient suffers from anemia. What clinical term is used in this case?

Response standard: anemia

Task 58.

What is the name in Latin for a dosage form intended for internal use and representing drugs enclosed in a shell (made of gelatin, starch, etc.)?

Response standard: capsule

Task 59.

What is the name in Latin for a solid dosage form consisting of bulk medicinal substances intended for internal, external or - after dissolution - injection use?

Response standard: pulvis

Task 60.

What is the name in Latin for a soft dosage form that has a soft consistency (for external use)?

Response standard: unguentum

Task 61.

What is the name of a liquid dosage form for external use in Latin? It is a thick liquid or gelatinous mass. It is also called liquid ointment.

Response standard: linimentum

Task 62.

What is the name in Latin for a dosage form for external use that is solid at room temperature and softens at body temperature? They have the property of firmly adhering to the skin.

Response standard: emplastrum

Task 63.

What is the name in Latin for a dosage form that is a solution of sugar in water, or in fruit or berry juices? These are thick transparent liquids with the smell and taste of the substances that make up them.

Response standard: sirupus

Task 64.

What is the name in Latin for a dosage form that is a concentrated extract from plant materials? To extract plant materials, alcohol, water, etc. are used.

Sample answer: extractum

Task 65.

What is the Latin name for a dosage form that is solid at room temperature and melts at body temperature?

Sample answer: suppositorium

Task 66.

What is the name in Latin for a solid dosage form obtained by layering drugs and excipients onto granules?

Sample answer: dragee

Task 67.

What is the name in Latin for a dosage form obtained by dissolving one or more medicinal substances (intended for injection, internal or external use)?

Sample answer: solution

Task 68.

What is the name in Latin for an ointment containing more than 20-25% powdery substances?

Sample answer: pasta

Task 69.

What is the name of a solid dosage form in the form of a grain or grain in Latin?

Sample answer: granulum

Task 70.

What is the name in Latin for a solid dosage form obtained by pressing ingredients?

Sample answer: tabuleta

Task 71.

Translate into Latin: thick belladonna extract.

Sample answer: extractum Belladonnae spissum

Task 72.

What name for vitamin C reflects the fact that a deficiency of this vitamin causes a disease called scorbutus - scurvy?

Sample answer: acidum ascorbinicum

Task 73.

Name the scientist (460-about 370 BC), who is considered the “father” of scientific European medicine.

Sample answer: Hippocrates

Task 74.

What ending is a sign of the infinitive of a verb in Latin?

Sample answer: The sign of the infinitive of a Latin verb is the ending – re.

Task 75.

In which case is the stem of Latin nouns determined?

Sample answer: The stem of Latin nouns is determined in the genitive case.

CRITERIA for assessing competencies and rating scales

Grade "unsatisfactory"(uncredited) or absence competence development	Grade "satisfactorily"(passed) or satisfactory (threshold) level of competence development	Grade "Fine"(passed) or sufficient level mastering competence	"Excellent" grade (passed) or high level of competence development
Inability of the learner to learn independently demonstrate knowledge when solving tasks, lack independence Vapplication skills.Lack of confirmation of completed competence testifies about negative results development educational disciplines	The student demonstrates independence Vapplication knowledge, skills To decision educational tasks in complete according to the model given by the teacher, assignments, solution which was demonstrated by the teacher, it should be considered that the competence formed on satisfactory level.	The student demonstrates independent application of knowledge, skills and abilities in decision tasks, to tasks similar to samples What confirms Availability developed competence for more high level. Availability such competencies on sufficient level indicates sustainable fixed practical skill	The student demonstrates ability to be completely independent in choice ways solutions non-standard tasks within the discipline using knowledge, skills And skills, received as in the course of mastering given disciplines after all adjacent disciplines should count competence formed on high level.

Criteria for assessing test control:

percentage of correct answers	Marks
91-100	Great
81-90	Fine
70-80	satisfactorily
Less than 70	unsatisfactory

Interview assessment criteria:

Mark	Descriptors		
	strength of knowledge	skill explain(introduce) essence of phenomena processes, do conclusions	logic And response sequence
Great	strength of knowledge, knowledge gain processes subject area being studied, the answer is distinguished by depth and completeness disclosures Topics; possession terminological apparatus; logic and consistency	high skill explain essence, phenomena, processes, events, draw conclusions and generalizations, give reasoned answers, drive examples	high logic and consistency of the answer

	answer		
Fine	solid knowledge of basic processes studied subject area,	ability to explain essence, phenomena, processes, events,	logicality response sequence

	is distinguished by the depth and completeness of the topic; possession terminological apparatus; freemastery of monologue speech, but one or two inaccuracies in the answer are allowed	draw conclusions Andgeneralizations givereasonedanswers, drive examples; howeverone or two inaccuracies in the answer are allowed	
satisfactory	satisfactoryknowledge processes the subject being studied areas, answer,characterized by insufficient depth and completeness of the topic;knowledge main questions theories.There may be some errors in the content. answer	satisfactory ability to give reasonedanswers driveexamples; satisfactorily formed skills analysisphenomena, processes. There may be some errors in the content. answer	satisfactorylogic Andresponse sequence
unsatisfactory	poor knowledge of the subject being studiedsubject areas, shallow disclosure of the topic; poor knowledge of basic theoretical issues, weak analysis skillsphenomena, processes. There are serious errors in the content answer	inability givereasoned answers	absencelogic Andresponse sequences